



## Checklist and Common Names of South Australian Reptiles and Frogs

Based on the Australian Society of Herpetologists (ASH) Official Species List, 30 June, 2022\*

### Conservation Status codes:

C	Common in suitable habitat, Least Concern
NE	Endangered (National rating) – threatened with extinction nationally unless action taken
NV	Vulnerable (National rating) – likely to become endangered nationally if existing trends continue
SE	Endangered (in SA) – threatened with extinction in SA unless action taken
SR	Rare (in SA) – seldom seen, or very limited distribution; data deficient
SV	Vulnerable (in SA) – likely to become endangered in SA if existing trends continue
U	Uncommon or localised, Least Concern
(v)	Vagrant; tropical marine species occasionally recorded along SA coast
(i)	Introduced.

\*The ASH Official List of Australian Species includes recommended common names. These names have largely been adopted in the identification keys and may be different to some names with which you are more familiar.

### TESTUDINES – Turtles and tortoises.

#### CHELIDAE – Side-necked tortoises

<i>Chelodina expansa</i> Gray, 1857	Broad-shelled Turtle	SV
<i>C. longicollis</i> (Shaw, 1794)	Eastern Long-necked Turtle	C
<i>Emydura macquarii</i> (Gray, 1830)	Macquarie River Turtle	SV
Total = 3		

#### CHELONIIDAE – Typical sea turtles

<i>Caretta caretta</i> (Linnaeus, 1758)	Loggerhead Sea Turtle	NE/SE(v)
<i>Chelonia mydas</i> (Linnaeus, 1758)	Green Sea Turtle	NV/SV(v)
<i>Lepidochelys olivacea</i> (Eschscholz, 1829)	Olive Ridley Turtle	NE(v)
Total = 3		

#### DERMOCHELYIDAE – Leatherback

<i>Dermochelys coriacea</i> (Vandelli, 1761)	Leatherback Turtle	NE/SV
Total = 1		

### SQUAMATA – Lizards and snakes

#### GEKKONIDAE – “Typical” geckos

<i>Christinus alexanderi</i> (Storr, 1987)	Nullarbor Marbled Gecko	C
<i>C. marmoratus</i> (Gray, 1845)	Common Marbled Gecko	C
<i>Gehyra lazelli</i> (Wells & Wellington, 1985)	Southern Rock Gehyra	C
<i>G. montium</i> Storr, 1982	Centralian Gehyra	C
<i>G. pulingka</i> Hutchinson, Sistrom, Donnellan & Hutchinson, 2014	Central Ranges Rock Gehyra	C
<i>G. purpurascens</i> Storr, 1982	Robust Tree Gehyra	C
<i>G. variegata</i> (Duméril & Bibron, 1836)	Western Tree Gehyra	C
<i>G. versicolor</i> Hutchinson, Sistrom, Donnellan & Hutchinson, 2014	Eastern Tree Gehyra	C
<i>Heteronotia binoei</i> (Gray, 1845)	Bynoe's Gecko	C
Total = 9		

#### CARPHOACTYLIDAE – Odd-tailed Geckos

<i>Nephrurus amyaë</i> Couper, 1994	Centralian Knob-tailed Gecko	U
<i>N. deleani</i> Harvey, 1983	Pernatty Knob-tailed Gecko	NV/SR
<i>N. laevis</i> Mertens, 1958	Pale Knob-tailed Gecko	C
<i>N. levis</i> De Vis, 1886	Common Knob-tailed Gecko	C
<i>N. stellatus</i> Storr, 1968	Starred Knob-tailed Gecko	C
<i>Underwoodisaurus milii</i> (Bory de Saint-Vincent, 1825)	Common Barking Gecko	C
Total = 6		

## DIPLODACTYLIDAE – Australasian geckos

<i>Crenadactylus horni</i> (Lucas & Frost, 1895)	Central Uplands Clawless Gecko	U
<i>Diplodactylus calcicolus</i> Hutchinson, Doughty & Oliver, 2009	South Coast Stone Gecko	C
<i>D. conspicillatus</i> Lucas & Frost, 1897	Variable Fat-tailed Gecko	C
<i>D. furcosus</i> Peters, 1864	Ranges Stone Gecko	C
<i>D. galeatus</i> Kluge, 1963	Helmeted Gecko	C
<i>D. laevis</i> (Sternfeld, 1924)	Desert Fat-tailed Gecko	C
<i>D. pulcher</i> (Steindachner, 1870)	Sharp-nosed Gecko	SR
<i>D. tessellatus</i> (Günther, 1875)	Tessellated Gecko	C
<i>D. vittatus</i> Gray, 1832	Eastern Stone Gecko	C
<i>D. wiru</i> Hutchinson, Doughty & Oliver, 2009	Desert Wood Gecko	C
<i>Lucasium bungabinna</i> Doughty & Hutchinson, 2008	Southern Sandplain Gecko	C
<i>L. byrnei</i> (Lucas & Frost, 1896)	Gibber Gecko	C
<i>L. damaeum</i> (Lucas & Frost, 1896)	Beaded Gecko	C
<i>L. microplax</i> Eastwood, Doughty, Hutchinson & Pepper, 2020	Central Sandplain Gecko	C
<i>L. steindachneri</i> (Boulenger, 1885)	Map Gecko	SR
<i>Oedura cincta</i> De Vis, 1888	Inland Velvet Gecko	SR
<i>Rhynchoedura angusta</i> Pepper, Doughty, Hutchinson & Keogh, 2011	Border Beaked Gecko	C
<i>R. eyrensis</i> Pepper, Doughty, Hutchinson & Keogh, 2011	Eyrean Beaked Gecko	C
<i>R. ornata</i> Günther, 1867	Western Beaked Gecko	C
<i>Strophurus assimilis</i> Storr, 1988	Thorn-tailed Gecko	C
<i>S. ciliaris</i> (Boulenger, 1885)	Northern Spiny-tailed Gecko	C
<i>S. elderi</i> (Stirling & Zietz, 1893)	Jewelled Gecko	C
<i>S. intermedius</i> (Ogilby, 1892)	Southern Spiny-tailed Gecko	C
<i>S. strophurus</i> (Duméril & Bibron, 1836)	Western Spiny-tailed gecko	C
<i>S. williamsi</i> (Kluge, 1963)	Eastern Spiny-tailed Gecko	C
Total = 25		

## PYGOPODIDAE – Australian legless lizards

<i>Aprasia aurita</i> Kluge, 1974	Eared Worm-lizard	SE
<i>A. inaurita</i> Kluge, 1974	Red-tailed Worm-lizard	C
<i>A. pseudopulchella</i> Kluge, 1974	Flinders Worm-lizard	NV/C*
<i>A. striolata</i> Lütken, 1863	Lined Worm-lizard	C
<i>Delma australis</i> Kluge, 1974	Marble-faced Delma	C
<i>D. borea</i> Kluge, 1974	Rusty-topped Delma	SR
<i>D. butleri</i> Storr, 1987	Unbanded Delma	C
<i>D. desmosa</i> Maryan, Adams & Aplin, 2007	Banded Delma	U
<i>D. hades</i> Pepper, Doughty, Fletcher & Keogh, 2025	Hellish Excitable Delma	U
<i>D. impar</i> (Fischer, 1882)	Striped Delma	NV/SE
<i>D. inornata</i> Kluge, 1974	Patternless Delma	C
<i>D. mollerii</i> Lütken, 1863	Gulfs Delma	C
<i>D. nasuta</i> Kluge, 1974	Sharp-snouted Delma	U
<i>D. petersoni</i> Shea, 1991	Painted Delma	U
<i>D. tincta</i> De Vis, 1888	Excitable Delma	U
<i>Lialis burtonis</i> Gray, 1835	Burton's Legless Lizard	C
<i>Ophidiocephalus taeniatus</i> Lucas & Frost, 1897	Bronzeback	NV/SR
<i>Pygopus lepidopodus</i> (Lacepède, 1804)	Common Scaly-foot	C
<i>P. nigriceps</i> (Fischer, 1882)	Western Hooded Scaly-foot	C
<i>P. schraderi</i> Boulenger, 1913	Eastern Hooded Scaly-foot	U
Total = 20		

## SCINCIDAE – Skinks

## EUGONGYLINI

<i>Acritoscincus duperreyi</i> (Gray, 1838)	Eastern Three-lined Skink	C
<i>A. trilineatus</i> (Gray, 1838)	Western Three-lined Skink	SR

<i>Anepischetosia maccoyi</i> (Lucas & Frost, 1894)	Salamander Skink	<b>SE</b>
<i>Austroblepharus kinghorni</i> (Copland, 1947)	Blacksoil Skink	<b>SR</b>
<i>Carlia triacantha</i> (Mitchell, 1953)	Desert Rainbow Skink	U
<i>Cryptoblepharus australis</i> (Sternfeld, 1918)	Inland Snake-eye Skink	C
<i>C. ochrus</i> Horner, 2007	Pale Snake-eye Skink	C
<i>C. pannosus</i> Horner, 2007	Ragged Snake-eye Skink	C
<i>C. pulcher</i> (Sternfeld, 1918)	Bight Snake-eye Skink	C
<i>Lampropholis delicata</i> (De Vis, 1888)	Delicate Skink	C
<i>L. guichenoti</i> (Duméril & Bibron, 1839)	Garden Skink	C
<i>Menetia greyii</i> Gray, 1845	Common Dwarf Skink	C
<i>Morethia adelaidensis</i> Peters, 1874	Saltbush Morethia	C
<i>M. boulengeri</i> (Ogilby, 1890)	Eastern Morethia	C
<i>M. butleri</i> (Storr, 1963)	Woodland Morethia	C
<i>M. obscura</i> Storr, 1972	Shrubland Morethia	C
<i>M. ruficauda</i> (Lucas & Frost, 1895)	Fire-tailed Skink	U
<i>Proablepharus reginae</i> (Glauert, 1960)	Silvereye Skink	U
<i>Pseudemoia baudini</i> (Greer, 1982)	Bight Coast Skink	<b>SR</b>
<i>P. entrecasteauxii</i> (Duméril & Bibron, 1839)	Southern Grass Skink	C
<i>P. pagenstecheri</i> (Lindholm, 1901)	Tussock Skink	<b>SR</b>
<i>P. rawlinsoni</i> (Hutchinson & Donnellan, 1988)	Glossy Grass Skink	<b>SV</b>
SPHENOMORPHINI		
<i>Ctenotus ariadnae</i> Storr, 1969	Pinstriped Ctenotus	U
<i>C. astarte</i> Czechura, 1986	Ashy Downs Ctenotus	<b>SR</b>
<i>C. atlas</i> Storr, 1969	Southern Spinifex Ctenotus	C
<i>C. brooksi</i> (Loveridge, 1933)	Sandhill Ctenotus	C
<i>C. calurus</i> Storr, 1969	Blue-tailed Ctenotus	C
<i>C. dux</i> Storr, 1969	Narrow-lined Ctenotus	C
<i>C. euclae</i> Storr, 1971	Bight Coast Ctenotus	C
<i>C. grandis</i> Storr, 1969	Giant Desert Ctenotus	<b>SR</b>
<i>C. greeri</i> Storr, 1979	Greer's Ctenotus	<b>SR</b>
<i>C. hanloni</i> Storr, 1980	Nimble Ctenotus	<b>SR</b>
<i>C. inornatus</i> (Gray, 1845)	Brown Ctenotus	C
<i>C. joanae</i> Storr, 1970	Blacksoil Ctenotus	<b>SR</b>
<i>C. kutjupa</i> Hutchinson, Prates, & Rabosky, 2022	Small Sand Ctenotus	U
<i>C. leae</i> (Boulenger, 1887)	Centralian Coppertail Ctenotus	C
<i>C. leonhardii</i> (Sternfeld, 1919)	Common Desert Ctenotus	C
<i>C. olympicus</i> Hutchinson & Donnellan, 1999	Saltbush Ctenotus	C
<i>C. orientalis</i> Storr, 1971	Spotted Ctenotus	C
<i>C. pantherinus</i> (Peters, 1866)	Leopard Ctenotus	C
<i>C. piankai</i> Storr, 1969	Coarse-sand Ctenotus	<b>SR</b>
<i>C. quattuordecimlineatus</i> (Sternfeld, 1919)	Many-lined Ctenotus	C
<i>C. regius</i> Storr, 1971	Eastern Desert Ctenotus	C
<i>C. robustus</i> Storr, 1970	Eastern Striped Skink	C
<i>C. schomburgkii</i> (Peters, 1863)	Common Sandplain Ctenotus	C
<i>C. septenarius</i> King, Horner & Fyfe, 1988	Gibber Ctenotus	C
<i>C. strauchii</i> (Boulenger, 1887)	Short-legged Ctenotus	C
<i>C. taeniatus</i> (Mitchell, 1949)	Eyrean Ctenotus	C
<i>Eremiascincus pallidus</i> (Gunther, 1875)	Western Narrow-banded Sandswimmer	C
<i>E. phantasmus</i> Mecke, Doughty & Donnellan, 2013	Ghost Skink	C
<i>E. richardsonii</i> (Gray, 1845)	Broad-banded Sandswimmer	C
<i>Eulamprus heatwolei</i> Wells & Wellington, 1985	Yellow-bellied Water Skink	<b>SV</b>
<i>E. quoyii</i> (Duméril & Bibron, 1839)	Eastern Water Skink	C
<i>E. tympanum</i> (Lönnerberg & Andersson, 1913)	Southern Water Skink	<b>SR</b>
<i>Hemiergis decresiensis</i> (Cuvier, 1829)	Southern Earless Skink	C
<i>H. initialis</i> (Werner, 1910)	Southern Five-toed Earless Skink	U

<i>H. millewae</i> Coventry, 1976	Rusty Earless Skink	C
<i>H. peronii</i> (Gray, 1831)	Four-toed Earless Skink	C
<i>Lerista aericeps</i> Storr, 1986	Yellow-tailed Slider	U
<i>L. baynesi</i> Storr, 1972	Speckled Slider	<b>SR</b>
<i>L. bipes</i> (Fischer, 1882)	Western Two-toed Slider	C
<i>L. bougainvillii</i> (Gray, 1839)	Southeastern Slider	C
<i>L. desertorum</i> (Sternfeld, 1919)	Great Desert Slider	C
<i>L. distinguenda</i> (Werner, 1910)	Southwestern Four-toed Slider	<b>SR</b>
<i>L. dorsalis</i> Storr, 1985	Southern Four-toed Slider	C
<i>L. edwardsae</i> Storr, 1982	Myall Slider	C
<i>L. elongata</i> Storr, 1990	Woomera Slider	U
<i>L. labialis</i> Storr, 1971	Eastern Two-toed Slider	C
<i>L. microtis</i> (Gray, 1845)	Long-legged Slider	<b>SR</b>
<i>L. punctatovittata</i> (Günther, 1867)	Spotted Slider	C
<i>L. speciosa</i> Storr, 1990	Musgrave Slider	<b>SV</b>
<i>L. taeniata</i> Storr, 1986	Ribbon Slider	<b>SR</b>
<i>L. terdigitata</i> (Parker, 1926)	Southern Three-toed Slider	U
<i>L. timida</i> (De Vis, 1888)	Dwarf Three-toed Slider	C
<i>Notoscincus ornatus</i> (Broom, 1896)	Ornate Big-eyed Skink	<b>SR</b>
TILIQUINI		
<i>Cyclodomorphus melanops</i> (Stirling & Zietz, 1893)	Spinifex Slender Bluetongue	C
<i>C. venustus</i> Shea & Miller, 1995	Saltbush Slender Bluetongue	U
<i>Egernia cunninghami</i> (Gray, 1832)	Cunningham's Skink	<b>SE</b>
<i>E. richardi</i> (Peters, 1869)	Bight Crevice Skink	U
<i>E. stokesii</i> (Gray, 1845)	Gidgee Skink	C
<i>E. striolata</i> (Peters, 1870)	Tree Skink	C
<i>Liopholis aputja</i> Farquhar, Mulder, Russell, Haines & Chapple, 2024	Central Ranges Rock Skink	U
<i>L. inornata</i> (Rosén, 1905)	Desert Skink	C
<i>L. kintorei</i> (Stirling & Zietz, 1893)	Tjakura	<b>NV/SE</b>
<i>L. multiscutata</i> (Mitchell & Behrndt, 1949)	Bull Skink	C
<i>L. personata</i> (Storr, 1968)	Flinders Ranges Rock Skink	C
<i>L. slateri</i> (Storr, 1968)	Black-striped Skink	<b>NE#/SE</b>
<i>L. striata</i> (Sternfeld, 1919)	Night Skink	C
<i>L. whitii</i> (Lacépède, 1804)	White's Skink	C
<i>Lissolepis coventryi</i> (Storr, 1978)	Swamp Skink	<b>SE</b>
<i>Tiliqua adelaidensis</i> (Peters, 1863)	Pygmy Bluetongue	<b>NE/SE</b>
<i>T. multifasciata</i> Sternfeld, 1919	Centralian Bluetongue	U
<i>T. nigrolutea</i> (Quoy & Gaimard, 1824)	Blotched Bluetongue	C
<i>T. occipitalis</i> (Peters, 1863)	Western Bluetongue	C
<i>T. rugosa</i> (Gray, 1825)	Sleepy Lizard (Shingleback)	C
<i>T. scincoides</i> (White ex Shaw, 1790)	Eastern Bluetongue	C
Total = 96		
AGAMIDAE – Dragon lizards		
<i>Amphibolurus burnsi</i> (Wells & Wellington, 1985)	Eastern Tree Dragon	U
<i>A. muricatus</i> (White ex Shaw, 1790)	Jacky Lizard	<b>SR</b>
<i>A. norrisi</i> Witten & Coventry, 1984	Mallee Tree Dragon	C
<i>Ctenophorus chapmani</i> (Storr, 1977)	Nullarbor Heath Dragon	C
<i>C. clayi</i> (Storr, 1966)	Black-collared Dragon	U
<i>C. cristatus</i> (Gray, 1841)	Crested Dragon	C
<i>C. decresii</i> (Duméril & Bibron, 1837)	Tawny Dragon	C
<i>C. dualis</i> (Storr, 1965)	Bight Coast Sand Dragon	<b>SR</b>
<i>C. fionni</i> (Proctor, 1923)	Eyre Peninsula Dragon	C
<i>C. gibba</i> (Houston, 1974)	Gibber Dragon	C
<i>C. ibiri</i> Edwards & Hutchinson, 2023	Eyre Peninsula Mallee Dragon	C

<i>C. isolepis</i> (Fischer, 1881)	Central Military Dragon	C
<i>C. kartiarru</i> Edwards & Hutchinson, 2023	Red-backed Sand Dragon	C
<i>C. maculosus</i> (Mitchell, 1948)	Lake Eyre Dragon	C
<i>C. mckenziei</i> (Storr, 1981)	McKenzie's Dragon	SR
<i>C. modestus</i> (Ahl, 1926)	Swift Rock Dragon	C
<i>C. nuchalis</i> (De Vis, 1884)	Central Netted Dragon	C
<i>C. pictus</i> (Peters, 1866)	Painted Dragon	C
<i>C. reticulatus</i> (Gray, 1845)	Western Netted Dragon	C
<i>C. rufescens</i> (Stirling & Zietz, 1893)	Rusty Dragon	C
<i>C. salinarum</i> (Storr, 1966)	Claypan Dragon	SR
<i>C. slateri</i> Storr, 1967	Plain Rock Dragon	U
<i>C. spinodomus</i> Sadlier, Colgan, Beatson & Cogger, 2019	Eastern Mallee Dragon	C
<i>C. tjakalpa</i> Edwards & Hutchinson, 2023	Ghost Sand Dragon	C
<i>C. tjantjalka</i> Johnston, 1992	Ochre Dragon	U
<i>C. tuniluki</i> Edwards & Hutchinson, 2023	Southern Mallee Dragon	C
<i>C. vadrappa</i> (Houston, 1974)	Red-barred Dragon	C
<i>Diporiphora linga</i> Houston, 1977	Linga Dragon	C
<i>D. nobbi</i> (Witten, 1972)	Nobbi Dragon	C
<i>D. paraconvergens</i> Doughty, Keally & Melville, 2012	Grey-striped Desert Dragon	C
<i>D. reginae</i> Glauert, 1959	Plain-backed Two-lined Dragon	SR
<i>D. winneckeii</i> Lucas & Frost, 1896	Canegrass Dragon	C
<i>Gowidon longirostris</i> (Boulenger, 1883)	Long-nosed Dragon	C
<i>Intellagama lesueurii</i> (Gray, 1831)	Water Dragon	(i)
<i>Moloch horridus</i> Gray, 1841	Thorny Devil	C
<i>Pogona barbata</i> (Cuvier, 1829)	Eastern Bearded Dragon	C
<i>P. minor</i> (Sternfeld, 1919)	Western Bearded Dragon	C
<i>P. nullarbor</i> (Badham, 1976)	Nullarbor Bearded Dragon	U
<i>P. vitticeps</i> (Ahl, 1926)	Central Bearded Dragon	C
<i>Tympanocryptis argillosa</i> Melville <i>et al.</i> 2019	Claypan Earless Dragon	U
<i>T. centralis</i> Sternfeld, 1924	Centralian Earless Dragon	C
<i>T. fictilis</i> Melville <i>et al.</i> 2019	Harlequin Earless Dragon	C
<i>T. houstoni</i> Storr, 1982	Nullarbor Earless Dragon	C
<i>T. intima</i> Mitchell, 1948	Smooth-snouted Earless dragon	C
<i>T. petersi</i> Melville <i>et al.</i> 2019	Lined Earless Dragon	C
<i>T. tetraporphora</i> Lucas & Frost, 1895	Eyrean Earless Dragon	C
<i>T. toleyi</i> Melville <i>et al.</i> 2019	Gawler Earless Dragon	C
Total = 47		

## VARANIDAE – Goannas

<i>Varanus brevicauda</i> Boulenger, 1898	Short-tailed Pygmy Goanna	SR
<i>V. eremius</i> Lucas & Frost, 1895	Pygmy Desert Goanna	C
<i>V. gilleni</i> Lucas & Frost, 1895	Pygmy Mulga Goanna	C
<i>V. giganteus</i> (Gray, 1845)	Perentie	C
<i>V. gouldii</i> (Gray, 1838)	Sand Goanna	C
<i>V. rosenbergi</i> Mertens, 1957	Heath goanna	SV
<i>V. tristis</i> (Schlegel, 1839)	Black-headed Goanna	C
<i>V. varius</i> (White <i>ex</i> Shaw, 1790)	Lace Goanna	SR
Total = 8		

## TYPHLOPIDAE – Blindsnakes

<i>Anilius bicolor</i> (Peters, 1858)	Dark-spined Blind Snake	C
<i>A. bituberculatus</i> (Peters, 1863)	Prong-snouted Blind Snake	C
<i>A. centralis</i> (Storr, 1984)	Centralian Blind Snake	C
<i>A. endoterus</i> (Waite, 1918)	Desert Blind Snake	C
<i>A. grypus</i> (Waite 1918)	Hook-nosed Blind Snake	U

<i>A. margaretae</i> (Storr, 1981)	GVD Blind Snake	U
Total = 6		
PYTHONIDAE – Pythons		
<i>Antaresia childreni</i> (Gray, 1842)	Children's Python	C
<i>Aspidites ramsayi</i> (Macleay, 1882)	Woma	SR
<i>Morelia imbricata</i> (Smith, 1981)	South-western Carpet Python	SR
<i>M. spilota</i> (Lacepède, 1804)	Carpet Python	SR
Total = 4		
ELAPIDAE –Front-fanged venomous snakes		
<i>Acanthophis antarcticus</i> (Shaw & Nodder, 1802)	Common Death Adder	C
<i>A. pyrrhus</i> Boulenger, 1898	Desert Death Adder	SV
<i>Austrelaps labialis</i> (Jan, 1859)	Pygmy Copperhead	U
<i>A. superbus</i> (Günther, 1858)	Lowlands Copperhead	C
<i>Brachyuropis australis</i> (Krefft, 1864)	Australian Coral Snake	U
<i>B. fasciolatus</i> (Günther, 1872)	Narrow-banded Shovel-nosed Snake	U
<i>B. semifasciatus</i> (Günther, 1863)	Southern Shovel-nosed Snake	U
<i>Demansia cyanochasma</i> Nankivell, Maryan, Bush & Hutchinson, 2023	Desert Whipsnake	C
<i>D. psammophis</i> (Schlegel, 1837)	Yellow-faced Whipsnake	C
<i>D. rimicola</i> Scanlon & Shea, 2007	Blacksoil Whipsnake	SR
<i>Denisonia devisi</i> Waite & Longman, 1920	DeVis' Banded Snake	SR
<i>Drysdalia coronoides</i> (Günther, 1858)	White-lipped Snake	U
<i>D. mastersii</i> (Krefft, 1866)	Masters' snake	C
<i>Echiopsis curta</i> (Schlegel, 1837)	Bardick	NR/SR
<i>Furina diadema</i> (Schlegel, 1837)	Red-naped Snake	U
<i>F. ornata</i> (Gray, 1842)	Orange-naped Snake	U
<i>Hydrophis elegans</i> (Gray, 1842)	Elegant Sea Snake	(v)
<i>Narophis bimaculatus</i> (Duméril, Bibron & Duméril, 1854)	Black-naped Burrowing Snake	SR
<i>Notechis scutatus</i> (Peters, 1861)	Tiger Snake	NV <sup>S</sup> /C
<i>Oxyuranus microlepidotus</i> (McCoy, 1879)	Inland Taipan	U
<i>Pseudechis australis</i> (Gray, 1842)	Mulga Snake	C
<i>P. porphyriacus</i> (Shaw, 1794)	Red-Bellied Black Snake	C
<i>Pseudonaja affinis</i> Günther, 1872	Dugite	U
<i>P. aspidorhyncha</i> (McCoy, 1879)	Strap-snouted Brown Snake	C
<i>P. guttata</i> (Parker, 1926)	Speckled Brown Snake	SR
<i>P. inframacula</i> (Waite, 1925)	Peninsula Brown Snake	C
<i>P. mengdeni</i> Wells & Wellington 1985	Western Brown Snake	C
<i>P. modesta</i> (Günther, 1872)	Ringed Brown Snake	C
<i>P. textilis</i> (Duméril, Bibron & Duméril, 1854)	Eastern Brown Snake	C
<i>Simoselaps anomalus</i> (Sternfeld, 1919)	Northern Desert Banded Snake	U
<i>S. bertholdi</i> (Jan, 1859)	Southern Desert Banded Snake	C
<i>Suta flagellum</i> (McCoy, 1878)	Little Whip Snake	C
<i>S. gouldii</i> (Gray, 1841)	Gould's Hooded Snake	U
<i>S. monachus</i> (Storr, 1964)	Monk Snake	U
<i>S. nigriceps</i> (Günther, 1863)	Mitchell's Short-tailed Snake	C
<i>S. suta</i> (Peters, 1863)	Curl Snake	C
<i>S. spectabilis</i> (Krefft, 1869)	Mallee Black-headed Snake	C
<i>Vermicella annulata</i> (Gray, 1841)	Common Bandy Bandy	SR
Total = 38		
Total S.A. reptiles = 266		

**ANURA - Frogs**

PELODRYADIDAE – Australian tree frogs

<i>Colleeneremia rubella</i> (Gray, 1842)	Little Red Tree Frog	C
<i>Cyclorana cultripes</i> Parker, 1940	Knife-footed Frog	<b>SR</b>
<i>Cy. maini</i> Tyler & Martin, 1977	Main's Frog	C
<i>Cy. platycephalus</i> (Günther, 1873)	Eastern Water-holding Frog	C
<i>Litoria latopalmata</i> Günther, 1867	Broad-palmed Rocket Frog	C
<i>Pelodryas caerulea</i> (White, 1790)	Green Tree Frog	C
<i>Pengilleyia peronii</i> (Tschudi, 1838)	Emerald-spotted Tree Frog	C
<i>Ranoidea raniformis</i> (Keferstein, 1867)	Southern Bell Frog	<b>NV</b>
<i>Rawlinsonia calliscelis</i> (Peters, 1874)	Fleurieu Brown Tree Frog	C
<i>Rw. ewingii</i> (Duméril & Bibron, 1841)	Brown Tree Frog	C
<i>Rw. sibilis</i> Parkin, Rowley, Elliott-Tate, et al. 2024	Kangaroo Island Brown Tree Frog	C
Total = 11		

MYOBATRACHIDAE – Australian froglets and toadlets

<i>Crinia deserticola</i> (Liem & Ingram, 1977)	Desert Froglet	U
<i>Crinia flindersensis</i> Donnellan, Anstis, Price & Wheaton, 2012	Northern Flinders Ranges Froglet	C
<i>Crinia parinsignifera</i> Main, 1957	Beeping Froglet	C
<i>Crinia riparia</i> Littlejohn & Martin, 1965	Southern Flinders Ranges Froglet	<b>SV</b>
<i>Crinia signifera</i> Girard, 1853	Clicking Froglet	C
<i>Geocrinia laevis</i> (Günther, 1864)	Tasmanian Smooth Froglet	<b>SR</b>
<i>Pseudophryne bibronii</i> Günther, 1858	Brown Broodfrog	<b>SR</b>
<i>Pseudophryne robinsoni</i> Donnellan, Mahony & Bertozzi, 2012	Central Ranges Broodfrog	<b>SV</b>
<i>Pseudophryne semimarmorata</i> Lucas, 1892	Southern Broodfrog	<b>SV</b>
<i>Uperoleia rugosa</i> (Andersson, 1916)	Chubby Toadlet	U
Total = 10		

LIMNODYNASTIDAE – Australian frogs

<i>Limnodynastes dumerilii</i> Peters, 1863	Eastern Banjo Frog	C
<i>Limnodynastes fletcheri</i> Boulenger, 1888	Barking Marsh Frog	C
<i>Limnodynastes peronii</i> (Duméril & Bibron, 1841)	Striped Marsh Frog	U
<i>Limnodynastes tasmaniensis</i> Günther, 1858	Spotted Marsh Frog	C
<i>Neobatrachus pictus</i> Peters, 1863	Painted Trilling Frog	C
<i>Neobatrachus sudellae</i> (Lamb, 1911)	Desert Trilling Frog	C
<i>Neobatrachus sutor</i> Main, 1957	Shoemaker Frog	<b>SV</b>
<i>Platyplectrum spenceri</i> (Parker, 1940)	Centralian Burrowing Frog	C
Total = 8		

Total S.A. frogs = 29

Total SA Reptiles and Amphibians = 295